Sheet <u>1</u> of <u>2</u> Substitute from PTO-1449 (Modified) Application No. U.S. Department of Commerce Attorney's Docket No. Patent and Trademark Office 10286-014001 10/042,421 Applicant **Information Disclosure Statement** by Applicant (Use several sheets if necessary) Robert Sackstein Filing Date Group Art Unit 1644 October 18, 2001 (37 CFR §1.98(b))

	U.S. Patent Documents							
Examiner Initial	Desig. ID	Document Number	Date Issued	Patentee	Class	Subclass	Filing Date If Appropriate	
	AA	5,849,898	12/15/1998	Seed et al.			06/07/1995	
	AB							
	AC							

	Foreign Patent Documents or Published Foreign Patent Applications							
Examiner	Desig.	Document	Publication	Country or	Class	Cubalasa	Translatio	
Initial	. ID	Number	Date	Patent Office	Class	Subclass	Yes	- No
w	AD	WO 92/01049	01/23/1992	WIPO				
	AE							
	AF							

	Other Documents (include Author, Title, Date, and Place of Publication)							
Examiner	Desig.							
Initial	ID	Document						
No	AG	Candal et al., "BMEC-1: A Human Bone Marrow Microvascular endothelial Cell Line with Primary Cell Characteristics," <i>Microvasc. Research</i> , 52:221-234 (1996)						
	АН	DeLuca et al., "A Novel Cobra Venom Metalloproteinase, Mocarhagin, Cleaves a 10-Amino Acid Peptide from the Mature N Terminus of P-selectin Glycoprotein Ligand Receptor, PSGL-1, and Abolishes P-selectin Binding," J. Biological Chem. 270(45):26734-26737 (1995)						
	ΑI	Dimitroff et al., "A distinct glycoform of CD44 is an L-selectin ligand on human hematopoietic cells," PNAS 97(25):13841-13846 (2000)						
	AJ	Dougherty et al., "Molecular Cloning of CD44R1 and CD44R2, Two Novel Isoforms of the Human CD44 Lymphocyte 'Homing' Receptor Expressed by Hemopoietic Cells," <i>J. Exp. Med.</i> 174:1-5 (1991)						
	AK	Finger et al., "Adhesion through L-selectin requires a threshold hydrodynamic shear," Nature 379:266-269 (1996)						
	AL	Fuhlbrigge et al., "Cutaneous lymphocyte antigen is a specialized form of PSGL-1 expressed on skin-homing T cells," <i>Nature</i> 389:978-981 (1997)						
	AM	Goelz et al., "Differential Expression of an E-selectin Ligand (Sle <sup>x</sup> ) by Two Chinese Hamster Ovary Cell Lines Transfected with the Same α(1,3)-Fucosyltransferase Gene (ELFT)," J. Biological Chem., 269(2):1033-1040 (1994)						
	AN	Guyer et al., "P-Selectin Glycoprotein Ligand-1 (PSGL-1) Is a Ligand for L-Selectin in Neutrophil Aggregation," Blood 88(7):2415-2421 (1996)						
	AO	Hale, L. and Haynes, B., "Bromelain Treatment of Human T Cells Removes CD44, CD45RA, E2/MIC2, CD6, CD7, CD8, and Leu 8/LAM1 Surface Molecules and Markedly Enhances CD2-Mediated T Cell Activation," J. Immunol. 149(12):3809-3816 (1992)						
ph	ΑP	Jalkanen et al., "A lymphoid cell surface glycoprotein involved in endothelial cell recognition and lymphocyte homing in man," Eur. J. Immunol. 16:1195-1202 (1986)						

Examiner Signature	. 1	Date Considered					
PHUR GAMBER	2/1/24						
1 of an Oxima CC	3/15/04						
EXAMINER: Initials citation considered. Draw line thro	ough citation if no	t in conformance and not considered. Include copy of this form with					
next communication to applicant.							

0	Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 10286-014001	Application No. 10/042,421		
DED	1 0 0 /4	losure Statement plicant	Applicant Robert Sackstein			
BACK	(Use several she	ets if necessary)	Filing Date October 18, 2001	Group Art Unit		

	Other D	ocuments (include Author, Title, Date, and Place of Publication)
Examiner	Desig.	
Initial	ID	Document
$\mathcal{M}$	AQ	Jalkanen et al., "Biochemical Properties of Glycoproteins Involved in Lymphocyte Recognition of High Endothelial Venules in Man," J. Immunol. 141(5):1615-1623 (1988)
. (	AR	Kugleman et al., "The Core Protein of Epican, a Heparan Sulfate Proteoglycan on Keratinocytes, Is an Alternative Form of CD44," <i>The Society for Investigative Dermatology, Inc.</i> , pp. 887-891 (1992)
	AS	Lawrence et al., "Effect of Flow on Polymorphonuclear Leukocyte/Endothelial Cell Adhesion," Blood 70(5):1284-1290 (1987)
	AT	Lawrence et al., "Threshold Levels of Fluid Shear Promote Leukocyte Adhesion through Selectins (CD62L,P,E)," J. Cell Biol. 136(3):717-727 (1999)
	AU	Oxley et al., "Detection of an L-Selectin Ligand on a Hematopoietic Progenitor Cell Line," Blood 84(10):3299-3306 (1994)
	AV	Ramos et al., "Functional Characterization of L-Selectin Ligands on Human Neutrophils and Leukemia Cell Lines: Evidence for Mucinlike Ligand Activity Distinct From P-Selectin Glycoprotein Ligand-1," <i>Blood</i> 91(3):1067-1075 (1998)
	AW	Sackstein et al., "Hematopoietic Cell L-Selectin Ligand Exhibits Sulfate-Independent Binding Activity," Blood 89(8):2773-2781 (1997)
	AX	Sackstein, R., and Dimitroff, C., "A hematopoietic cell L-selectin ligand that is distinct from PSGL-1 and displays N-glycan-dependent binding activity," <i>Blood</i> 96(8):2765-2774 (2000)
	AY	Sasaki et al., "Expression Cloning of a Novel Galβ(1-3/1-4)GlcNAc α2,3-Sialyltransferase Using Lectin Resistance Selection," J. Biol. Chem., 268(30):22782-22787 (1993)
	AZ	Snapp et al., "A Novel P-Selectin Glycoprotein Ligand-1 Monoclonal Antibody Recognizes an Epitope Within the Tyrosine Sulfate Motif of Human PSGL-1 and Blocks Recognition of Both P-and L-Selectin," <i>Blood</i> 91(1):154-164 (1998)
	AAA	Spertini et al., "P-Selectin Glycoprotein Ligand 1 Is a Ligand for L-Selectin on Neutrophils, Monocytes, and CD34+ Hematopoietic Progenitor Cells," J. Cell Biol. 135(2):523-531 (1996)
	ABB	Stamenkovic et al., "The hematopoietic and epithelial forms of CD44 are distinct polypeptides with different adhesion potentials for hyaluronate-bearing cells," EMBO Journal, 10(2):343-348 (1991)
	ACC	Tu et al., "L-Selectin Binds to P-Selectin Glycoprotein Ligand-1 on Leukocytes: Interactions Between the Lectin, Epidermal Growth Factor, and Consensus Repeat Domains of the Selectins Determine Ligand Binding Specificity," J. Immunol. 157(9):3995-4004 (1996)
	ADD	Vachino et al., "P-selectin Glycoprotein Ligand-1 Is the Major Counter-receptor for P-selectin on Stimulated T Cells and Is Widely Distributed in Non-functional Form on Many Lymphocytic Cells," J. Biol. Chem. 270(37):21966-21974 (1995)
p	AEE	Zollner, O., and Vestweber, D., "The E-selectin Ligand-1 Is Selectively Activated in Chinese Hamster Ovary Cells by the α(1,3)-Fucosyltransferases IV and VII," J. Biol. Chem. 271(51):33002-33008 (1996)

٢	Examiner Signature	Date Considered
L	Hung Games d	8/15/04
	EXAMINER: Initials citation considered. Draw line through citation if no next communication to applicant.	t in conformance and not considered. Include copy of this form with

Sheet 1 of 1

5m PTO-1449 (Rev. 2-88)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY. DOCKET NO.

APPLICATION NO.

7414-12CIP-2

10/042421 09/619,290-

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICANT Sackstein
FILING DATE
July 19, 2000 GROUP 1646

	(Use several sheets	if necessary)	July 19, 2	July 19, 2000			Ю		
U.S. PATENT DOCUMENTS									
EXAMINER'S INITIAL	DOCUMENT NUMBER		,	NAME	CLASS		FILIN IF APPI	FILING DATE IF APPROPRIATE	
			<u> </u>			REC	EIVE	)	
						MAY 2	7 2003		
		FOREI	IGN PATENT	DOCUMENTS				~^^^	
	DOCUMENT NUMBER	1	DATE	COUNTRY	CLASS E	CHGENT	ER 1600	1	
					<del> </del>		YES	NO NO	
					<del> </del>				
					<del> </del>		<u> </u>		
			OTHER DOCL	IMENTS	<u></u>	1	<del>_                                    </del>	1	
M	SHARON 82-89 /	et al., Carbohy			Scientific A	merican,	January 199	93, pp.	
	OXLEY et	al., L-Selectin- ietic Progenito	-CD34 Intera	ctions Mediate	Functional 1994, vol. 4	Binding o 2, no. 2, p	f Lymphocy . 235A	rtes to	
	SHIMIZU	et al., Mucins ir	n the Mainst	ream, Nature,	16 Decemb	er 1993, v	ol. 366, pp.	630-631	
	ARBONES Selectin-D	6 et al., Lympho eficient Mice, I	ocyte Homin Immunity, 19	g and Leukocy 194, vol. 1, pp.	te Rolling 2 247-260	and Migrati	ion are Imp	ared in L-	
	ROSEN, 0 pp. 237-24	Cell Surface Le 17	ctins in the I	mmune Syster	m, Seminars	s in Immur	ology, 1993	3, vol. 5,	
	BERTOZZ November	I, Cracking the 1995, vol. 2, p	e Carbohydra op. 703-708	ate Code for Se	electin Reco	ognition, C	hemistry &	Biology,	
	SACKSTE	SACKSTEIN et al., Evidence of Post-transcriptional Regulation of L-Selectin Gene Expression in Rat Lymphoid Cells, Immunology, 1995, vol. 85, pp. 198-204							
1.	JUNG et a Protein Ki	al., Rapid Modu nase C, J. of In	ulation of Hon nmunology,	ming Receptor April 1990, vol.	s (gp90 <sup>MEL-</sup> . 144, pp. 3	<sup>14</sup> ) Induced 130-3136	by Activat	ors of	
M	Listal B	ost-translation for Binding to F	al Modificatio	ns of Recomb	inant P-Sel	ectin Glyc	oorotein Lia	and-1	
	Current Po	rotocols in Mole	ecular Biolog	jy, vol. 2, 1998	, John Wile	y & Sons,	Inc., pp. 9.2	2.1-9.2.10	
			· · · · · · · · · · · · · · · · · · ·						
EXAMINER PILL	up GAMO.	3	15/04	DATE CONSIDERED					

EXAMINER: Initial if a citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

## MANUAL OF PATENT EXAMINING PROCEDURE

009.		·	AL OI I			GFAC	CEDUNE	PTO/SB/0 She	8 (2-92) e <u>t 1 of 8</u>
FOMPL					Docket Number (Optional) Application Number 0152.00378 09/819,290				COL
INFORM	KÍPAN ЙI	ON DISCLOSURE ( AN APPLICATION	CITATI	ON	Applicant Robert Sackstein	10	००५१५१		AR 1 2 2
		everal sheets if neces			Filing Date 07/19/00		Group Art U 1846 (GY	TECH (	CENTER 16
E MODERS	25.7			TEN	IT DOCUMENT	S			
EXAMINER INITIAL	1	DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING IF APPR	DATE OPRIATE
		FOI	REIGN	PAT	ENT DOCUME	NTS			
	<u> </u>				LITT DOCUME	1		TRANS	LATION
		DOCKET NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	YES	NO
		OTHER DOCUMEN	ITS (Ir	ncludi	ng Author, Title, Da	ate Pertii	nent Pages,	Etc.)	
Not avail.		Arbones ML, et al. are impaired in L-s			, -		, ,		
2	7	Aruffo, Alejandro, Cell Sulfatides," Ce				ecogni	tion of My	eloid and	d Tumor
3	8	Asa D, et al., "The leukocyte ligand fo	P-sele	ctin ç	glycoprotein liga				
4	10	Baeuerle, Patrick Intact Cells," <i>Bioch</i> No. 2, 870-877 (19	A. et al nemical	., "C	hlorate - A Pote	ent Inhi	bitor of Pr	otein Sul	fation in
5	1	Baumhueter, S. et Science, Vol. 262,	al., "Bi			to the V	ascular Si	ialomucin	CD34,"
6	7	Berg, EL, et al., "L. Vol. 366 (1993).				yte rolli	ng on MA	CAM-1,"	Nature,
Not avail. 7		Bertozzi, "Cracking Biology, 2:703-708	•		ydrate code for	selecti	n recogniti	on," <i>Che</i>	mistry &
8	V		chael P. et al., "Selectins," J. Clin. Invest., Perspectives, Vol. 91,						
9	8	Bistrup A. et al., "Sulfotransferases of two specificities function in the reconstitution of high endothelial cell ligands for L-selectin," <i>J. Cell Biol.</i> , 145:899-910 (1999).							
10	•	Bollman, Jesse L. Small Intestine, or	•		•		• •		ne Liver,
11	7,0	Carlos, Timothy M Vol. 84, No. 7, 206	8-2101	(199	04).				
12	7	Chin, Yee-Hon,	et al.,	"Ly	mphocyte-Hom	ing Re	eceptors	and Pre	ferential
13	7	Migration Pathways," 374-380 (1991).  Civin, Curt I. et al., "Antigenic Analysis of Hematopoiesis. III. A Hematopoietic Progenitor Cell Surface Antigen Defined by a Monoclonal Antibody Raised against KG-1a Cells <sup>1</sup> ." Journal of Immun., Vol. 133, No. 1, 157-165 (1984).							

PHER GAMER 3/0/04

_				
1	14		٧ .	Cowing, Carol, et al., "T cells discriminate between la antigens expressed on
ļ	11	j		allogeneic accessory cells and B cells: A potential function for carbohydrate side
	14	<b>}</b>		chains on Ia molecules," <i>Proc. Natl. Acad.</i> , Vol. 80, 6000-6004 (1983).
Γ	15		<b>√</b>	Cullen, Susan E. et al., "Differential Glycosylation of Murine B Cell and Spleen
1	21	5		Adherent Cell Antigens <sup>1</sup> ," Journal of Immun., Vol. 127, No. 4, 1478-1484 (1981).
/ [	Q I	4,	₩.	De Luca M. et al., "A novel cobra venom metalloprotease, mocarhagin, cleaves
/		7	:\ <b>.</b>	a 10-amino acid peptide from the mature N terminus of P-selectin Glycoprotein
E MA	R 1 9	2003	À .	ligand receptor, PSGL-1 and abolishes P-selectin binding," J. Biol. Chem.,
1		ć	¥/ /	270:26734-26737 (1995).
PATERIA	17	.2K-19	1	Dowbenko, Donald, et al., "Glycosylation-dependent Cell Adhesion Molecule 1
7	CADE	IK.		(GlyCAM 1) Mucin is Expressed by Lactating Mammary Gland Epithelial Cells
L			ধ	and is Present in Milk," J. Clin. Invest. Vol. 92, 952-960 (1993).
Γ	18		78	Drzeniek, R., "Substrate specificity of neuraminidases," Histochem. 5:271-290
İ			9	(1973).
	19		1	Expression of Adhesion Molecules on CD34 <sup>+</sup> Cells: CD34 <sup>+</sup> L-Selectin <sup>+</sup> Cells
			5	Predict a Rapid Platelet Recovery After Peripheral Blood Stem Cell
			•	Transplantation," <i>Blood</i> , Vol. 85, No. 11, 3313-3319 (1995).
-	20		1	Finger EB, et al., "Adhesion through L-selectin requires a threshold
}			0	hydrodynamic shear," <i>Nature</i> , 379:266-269 (1996).
- [	21		1	Francis K. et al., "Two new pseudopod morphologies displayed by the human
- 1			b	hematopoietic KG1a progenitor cell line and by primary human CD34+ cells,"
1			`	Blood, 92:3616-3623 (1998).
	22		1	Frenette PS. et al., "Endothelial selectins and vascular cell adhesion molecule-
			•	1 promote hematopoietic progenitor homing to the bone marrow," <i>Proc. Natl.</i>
				Acad. Sci. USA, 95:14423-14428 (1998).
<u> </u>	23	<b> </b>	1	Frenette, Paul S. et al., "Susceptibility to Infection and Altered Hematopoiesis in
			3	Mice Deficient in Both P- and E-Selectins," Cell, Vol. 84, 563-574 (1996).
	24	1	1	Frenette, PS. et al., "Susceptibility to infection and altered hematopoiesis in
				mice deficient in both P- and E-selectins," <i>Cell</i> , 184:563-574 (1996).
<u> </u>	25	1-	7	Fuhlbrigge RC, et al. "Cutaneous lymphocyte antigen is a specialized form of
		1	0	PSGL-1 expressed on skin-homing T-cells," Nature, 389:978-981 (1997).
h	26	1	7	Gallatin, W. Michael, et al., "A cell-surface molecule involved in organ-specific
			8	homing of lymphocytes," <i>Nature</i> , Vol. 304, 30-32 (1983).
<u> </u>	27	+	7	Gatenby, Paul A. et al., "Dissection of Immunoregulatory Subpopulations of T
				Lymphocytes Within the Helper and Suppressor Sublineages in Man <sup>1</sup> ," <i>Journ. Of</i>
			٠,	Immun., Vol. 129, No. 5 (1982).
-	28	-H	7	Gowans, JL. et al., "The route of re-circulation of lymphocytes in the rat," <i>Biol.</i>
		-	0	Sciences, 257-282 (1963).
·  -	29	$\dashv$	7	Green, Paula J. et al., "Further studies of the binding specificity of the leukocyte
			·	adhesion molecule, L-selectin, towards sulphated oligosaccharides - suggestion
1			,	of a link between the selectin- and the integrin-mediated lymphocyte adhesion
				systems," Glycobiology, Vol. 5, No. 1, 29-38 (1995).
-  -	30		7	Green, PJ. et al., "High Affinity Binding of the Leucocyte Adhesion Molecule L-
		14	•	Selectin to 3'-Sulphated-Le <sup>a</sup> and -Le <sup>x</sup> Oligosaccharides and the Predominance
1	l.		6	of Sulphate in this Interaction Demonstrated by Binding Studies with a Series of
	U	-,-	}	· · · · · · · · · · · · · · · · · · ·
		.	ł	Lipid-Linked Oligosaccharides," <i>Biochemical and Biophysical Research Communications</i> , Vol. 188, No. 1, 244-251 (1992).
l		1	1	Communications, vol. 100, 190. 1, 244-231 (1992).

PHUR GIMENET 3/15/04

RECEIVED

MAR 1 2 2003

4

**TECH CENTER 1600/2900** 

		MAR 1 ALB
31	1	Greenberg AW, et al., "Relationship between selectin-mediated rolling of
1 0%	۵	hematopojetic stem and progenitor cells and progression in hematopoietic
10	ſ	development," Blood, 95:478-486 (2000).
32 1	7	Griffin, James D. et al., "Granulocyte-Macrophage Colony-Stimulating Factor
	0,00	and other Cytokines Regulate Surface Expression of the Leukocyte Adhesion
1 0 2000	<b>9</b> .\	Molecule-1 on Human Neutrophils, Monocytes, and their Precursors," Journal of
1:13 1 0 2003	25.	Immun., Vol. 145, 576-584 (1990).
33	šý.	Gunji Y. et al., "Expression and function of adhesion molecules on human
# TRADE SITE	-	hematopoietic stem cells: CD34+ LFA-1- cells are more primitive than CD34+
		LFA-1+ cells," Blood, 80:429-436 (1992).
34	1	Guyer DA, et al., "P-selectin glycoprotein ligand-1 (PSGL-1) is a ligand for L-
1 1	ø	selectin in neutrophil aggregation," Blood, 88:2415-2421 (1996).
35	7	Hemmerich, Stefan, et al., "6'-Sulfated Sialyl Lewis x Is a Major Capping Group
	-	of GlyCAM-1†," Biochemistry, Vol. 33, 4830-4835 (1994).
36	1	Hemmerich, Stefan, et al., "Sulfation-dependent Recognition of High Endothelial
] [ [	8	Venules (HEV)-Ligands by L-Selectin and MECA 79, an Adhesion-blocking
] []	ı	Monoclonal Antibody," Journal of Experimental Medicine, Vol. 180, 2219-2226
		(1994).
37	1	Hemmerich, Stefan, et al., "Sulfation-dependent Recognition of High Endothelial
1 1		Venules (HEV)-Ligands by L-Selectin and MECA 79, an Adhesion-blocking
	٠	Monoclonal Antibody," Journal of Experimental Med., Vol. 180, 2219-2226
		(1994).
38	√	Huff, Thomas F. et al., "Modulation of the Biologic Activities of IgE-Binding
	*	Factors," Journal of Immun., Vol. 131, No. 3, 1090-1095 (1983).
39	1	Imai, et al., "Sulphation requirement for_ Cam-1, an endothelial and for L-
	4	selectin," Nature, Vol. 361, 555-557 (1993).
40	1	Imai, Yasuyuki, et al., "Identification of a Carbohydrate-based Endothelial Ligand
1 11	0	for a Lymphocyte Homing Receptor," Journal of Cell Biol., Vol. 113, No. 5, 1213-
		1221 (1991).
Not avail. 41		Jung T, et al., "Rapid modulation of homing receptors (gp90MEL-14) induced by
	6.	activators of protein kinase C," J. Immunol., 144:3130-3136 (1990).
42	٧	Kansas GS., "Selectins and their ligands: Current concepts and controversies,"
12		Blood, 88:3259-3287 (1996).
43	1	Kikuta, Akio, et al., "Localization of Ligands for L-Selectin in Mouse Peripheral
1   1	8	Lymph Node High Endothelial Cells by Colloidal Gold Conjugates," <i>Blood</i> , Vol.
44	1	84, No. 11 (1994).
44		Kishimoto, TK. et al., "Identification of a human peripheral lymph node homing
	•	receptor: A rapidly down-regulated adhesion molecule," <i>Proc. Natl. Acad. Sci.</i>
45	$\overline{\downarrow}$	USA., 87:244-2248 (1990).
"		Koeffler, et al., "2An undifferentiated variant derived from the human acute
No.	•	myelogenous leukemia cell line (KG-1)²," Blood, 56:265 (1980).
Not avail. 46		Koeffler, HP. et al., "An undifferentiated variant derived from the human acute
17		myelogenous leukemia cell line (KG-1)," Blood, 56:265-273 (1980).
47	7	Koenig JM, et al., "L-selectin expression enhances clonogenesis of CD34+
1	<u>آ</u> ــاً	cord blood progenitors," Pediatr. Res., 45:867-870 (1999).
48	<i>*</i>	Koenig, Joyce M. et al., "L-Selectin Expression Enhances Clonogenesis of
1 100		CD34 <sup>+</sup> Cord Blood Progenitors," <i>Pediatric Research</i> , Vol. 45, No. 6, 867-870
		(1999).

PHILLIP Commond 3/11/04

RECEIVED

MAR 1 2 2003

49	$\sim 1$	1	Kohayashi, Masanobu, et al., "Expression of Adhesion Molecules on Human
ا بسيرا	铁米		Hematopoietic Progenitor Cells at Different Maturational Stages," Stem Cells,
J 8	1 6		Vol. 12, 316-321 (1994).
50	1	1	Kumar R. et al., "Core2 β-1,6-N-acetylglucoaminyltransferase enzyme activity is
GALL	1 0 5003	.0	critical for P-selectin glycoprotein ligand-1 binding to P-selectin," Blood, 88:3872-
		8	3879 (1996).
<b>?</b> §1	-0003	A	Lasky, Laurence et al., "An Endothelial Ligand for L-Selectin is a Novel Mucin-
61	TRANEPENS	0	like Molecule," Cell, Vol. 69, 927-938 (1992).
52		1	Laszik K. et al., "P-selectin glycoprotein ligand-1 is broadly expressed in cells of
		JE.	myeloid, lymphoid and dendritic lineage and in some nonhematopoietic cells,"
		[	Blood, 88:3010-3012 (1996).
53		1	Lemonnier F. et al., "The induction of cytolytic T lymphocytes with purified
			plasma membranes," J. Immunol., 120:1114-1120 (1978).
54		1	Lévesque J-P. et al., "PSGL-1-mediated adhesion of human hematopoietic
ĺ		_	progenitors to P-selectin results in suppression of hematopoiesis," <i>Immunity</i> ,
		•	11:369-378 (1999).
55		1	Lewinsohn, David M. et al., "Leukocyte-Endothelial Cell Recognition: Evidence of
Í		}	a Common Molecular Mechanism Shared by Neutrophils, Lymphocytes, and
		7	Other Leukocytes <sup>1</sup> ," Journal of Immun., Vol. 138, 4313-4321 (1987).
Not:	avail.	<del>                                     </del>	Li F. et al., "Post-translational modifications of recombinant P-selectin
56			glycoprotein ligand-1 required for binding to P- and E-selectin," J. Biol. Chem.,
			27:3255-3264 (1996).
57		1	Majdic, Otto, et al., "Signaling and Induction of Enhanced Cytoadhesiveness Via
	1	A	the Hematopoietic Progenitor Cell Surface Molecule CD34," <i>Blood</i> , Vol. 83, No.
			5, 1226-1234 (1994).
58	+	V	Maley F. et al., "Characterization of glycoproteins and their associated
		,	oligosaccharides through the use of endoglycosidases," Anal. Biochem.,
			180:195-204 (1989).
59		<b>V</b>	Maly, P. et al., "The α(1,3)fucosyltransferase Fuc-TVII controls leukocyte
		ų,	trafficking through an essential role in L-,E-, and P-selectin ligand
			biosynthesis," Cell, 86:643-653 (1996).
60	-	7	Marchesi, VT. et al., "The migration of lymphocytes through the endothelium of
			venules in lymph nodes: an electron microscope study," Biological Sciences,
		•	283- (1963).
61	_	<b>V</b>	Mazo IB. et al., "Hematopoietic progenitor cells rolling in bone marrow
		4	microvessels: Parallel contributions by endothelial selectins and vascular cell
		•	adhesion molecule 1," <i>J. Exp. Med.</i> , 188:465-474 (1998).
62	1-1	7	Moore KL. et al., "Identification of a specific glycoprotein ligand for P-selectin
	1 1	1+	(CD62) on myeloid cells," <i>J. Cell Biol.</i> , 118:445-456 (1992).
63	1	1	Moore KL. et al., "P-selectin glycoprotein ligand-1 mediates rolling of human
		-6	neutrophils on P-selectin," <i>J. Cell Biol.</i> , 128:661-671 (1995).
64		7	Moore KL., "Structure and function of P-selectin glycoprotein ligand-1," Leuk.
	1 1	مد	Lymph., 29:1-15 (1998).
65		1	Norgard KE. et al, "Characterization of a specific ligand for P-selectin on myeloid
			cells. A minor glycoprotein with sialylated O-linked oligosaccharides," J. Biol.
	( )	.9	Chem., 268:12764-12774 (1993).
66	11/	7	Ord, David C. et al., "Structure of the Gene Encoding the Human Leukocyte
	M/		Adhesion Molecule-1 (TQ1, Leu-8) of Lymphocytes and Neutrophils," Journal of
	l	4	Biological Chemistry," Vol. 265, 7760-7767 (1990).
	J		RECEIVED
			・モンドルトン

PHILLIP GAMBOL 3/15/04

MAR 1 2 2003

**TECH CENTER 1600/2900** 

			,
67 M	J	4	Oxley, Susan M. et al., "Detection of an L-Selectin Ligand on a Hematopoietic Progenitor Cell Line," <i>Blood</i> , Vol. 84, No. 10, 3299-3306 (1994).
58 O	Pa	100	Paulson JC. et al., "Newcastle disease virus contains a linkage-specific glycoprotein sialidase. Application to the localization of sialic acid residues in N-
	1 0 2	003	hinked oligosaccharides of alpha 1-acid glycoprotein," <i>J. Biol. Chem.</i> , 257:12734-1/12738 (1982).
(6973 y	FANE!®	12. A	Pouyani, Tara et al., "PSGL-1 Recognition of P-Selectin is Controlled by a Tyrosine Sulfation Consensus at the PSGL-1 Amino Terminus," Cell, Vol. 83,
70		7	Puri, Kamal D. et al., "Sialomucin CD34 is the Major L-Selectin Ligand in Human
71		1	Ramakrishnan, S., "Current Status of Antibody-Toxin Conjugates for Tumor
72		<b>₹</b>	Therapy," 189-213.  Rasmussen, Robert A. et al., "Lymphocyte Recognition of Lymph Node High
		•	Endothelium; VII. Cell Surface Proteins Involved in Adhesion Defined by Monoclonal Anti-HEBF <sub>LN</sub> (A.11) Antibody <sup>1</sup> ," <i>Journal of Immun.</i> , Vol. 135, No. 1, 19-24 (1985).
73		7	Reinherz, Ellis L. et al., "Heterogeneity of Human T4 <sup>+</sup> Inducer T Cells Defined by a Monoclonal Antibody that Delineates Two Functional Subpopulations <sup>1</sup> ," <i>Journal of Immun.</i> , Vol. 128, No. 1, 463-468 (1982).
74		7	Rosen, Steven D. et al., "Involvement of Sialic Acid on Endothelial Cells in Organ-Specific Lymphocyte Recirculation," Science, Vol. 228, No. 4702, 1005-
75		7	1007 (1985). Sackstein R., "Expression of an L-selectin ligand on hematopoietic progenitor
76		√ €	cells," Acta Haematol., 97:22-28 (1997).  Sackstein, Robert, "Physiologic Migration of Lymphocytes to Lymph Nodes Following Bone Marrow Transplantation: Role in Immune Recovery," Seminars
77		7	in Oncology, Vol. 20, No. 5, Supp. 6, 34-39 (1993).  Sackstein, Robert, et al., "A Hematopoietic Cell L-Selectin Ligand Exhibits Sulfate-Independent Binding Activity," <i>Blood</i> , Vol. 89, No. 8, 2773-2781 (1997).
78		.√ 6	Sackstein, Robert, et al., "Lymphocyte Adhesion to Psoriatic Dermal Endothelium is Mediated by a Tissue-Specific Receptor/Ligand Interaction," The Society for Invest. Dermatology, Inc., 423-428 (1988).
79		7	Sako D. et al., "Expression cloning of a functional glycoprotein ligand for P-selectin," Cell, 75:1179-1186 (1993).
80		√,	Sako, Dianne, et al., "A Sulfated Peptide Segment at the Amino Terminus of PSGL-1 is Critical for P-Selectin Binding," <i>Cell</i> , Vol. 83, 323-331 (1995).
81		7	Sassetti C. et al., "Identification of podocalyxin-like protein as a high endothelial venule ligand for L-selectin: parallels to CD34," <i>J. Exp. Med.</i> , 187:1965-1975 (1998).
Not av 82	ail.		Sassetti C. et al., "Identification of podocalyxin-like protein as a high endothelial venule ligand for L-selectin: Parallels to CD34," <i>J. Exp. Med.</i> , 187:1965-1975 (1998).
83	i	7	Sassetti, Christopher, et al., "Identification of Podocalyxin-like Protein as a High Endothelial Venule Ligand for L-selectin: Parallels to CD34," <i>J. Exp. Med.</i> , Vol. 187, No. 12, 1965-1975 (1998).
84	^	7	Schweitzer KM. et al., "Constitutive expression of E-selectin and VCAM-1 on endothelial cells of the hematopoietic tissues," <i>Am. J. Pathol.</i> ,148:165-175 (1996).
			DECEIVE

populp Gamber 3/15/04

RECEIVED

MAR 1 2 2003

85			LOL Out to the second seco
1	14	}	Shaw, Stephen et al., "Two antigen-independent adhesion pathways used by human cytotoxic T-cell clones," <i>Nature</i> , Vol. 323, No. 18 (1986).
86	7	1	Simmons P. et al., "Potential adhesion mechanisms for localization of
1	- /		hematopoietic progenitors to bone marrow stroma," Leuk. and Lymphoma,
1	1		12:353-363 (1994).
87	101	EVA	Snapp KR. et al., "A novel P-selectin glycoprotein ligand-1 monoclonal
17		`	cantibody recognizes an epitope within the tyrosine sulfate motif of human
1/	lua .	9	Rainbody recognizes an ephope within the tyrosine sunate moth of human
PETE	MAR , O	2003	SGL-1 and blocks recognition of both P- and L-selectin," Blood, 91:154-164
1:53			1871 <b>さぎ</b> ひた
1 3	F. F. WIFI	12:5	Spertini O. et al., "P-selectin glycoprotein ligand 1 is a ligand for L-selectin on
1 1	1111	6	The print, married and a part membrane progenitor come, b. Och Biol.,
89			135:523-531 (1996).
09		√	Spertini, Oliver, et al., "Function and Evolutionary Conservation of Distinct
		1	Epitopes on the Leukocyte Adhesion Molecule1 (T -1, Leu-8) That Regulate
1		<u> </u>	Leukocyte Migration <sup>1</sup> ," Journal of Immun., Vol. 147, 942-949, No. 3 (1991).
90		1	Spertini, Oliver, et al., "Leukocyte Adhesion Molecule-1 (Lam-1, L-Selectin)
! !		0	Interacts with an Inducible Endothelial Cell Ligand to Support Leukocyte
			Adhesion," Journal of Immun., Vol. 147, 2565-2573 (1991).
91	··	1	Springer, Timothy A. et al., "The Lymphocyte Function-Associated LFA-1, CD2,
		}	and LFA-3 Molecules: Cell Adhesion Receptors of the Immune System," Am.
			Rev. Immunol., 5:223-52 (1987).
92		1	Stamper, Hugh B. Jr. et al., "Lymphocyte Homing into Lymph Nodes: In Vitro
1			Demonstration of the Selective Affinity of Recirculating Lymphocytes for High-
1 1		٥	endothelial Venules," Journ. Of Experimental Med., Vol. 144, 828-833 (1976).
93		7	Stoolman, LM et al., "Phosphomannosyl Receptors May Participate in the
		· 6	Adhesive Interaction between Lymphocytes and High Endothelial Venules,"
		•	Journal of Cell Biology, Vol. 99, 1535-1540 (1984).
94		1	Stoolman, LM et al., "Possible Role for Cell-surface Carbohydrate-binding
			Molecules in Lymphocyte Recirculation," Journal of Cell Biology, Vol. 96, 722-
		40	729 (1983).
95		1	Streeter PR. et al., "Immunohistologic and functional characterization of a
	j		vascular addressin involved in lymphocyte homing into peripheral lymph nodes,"
			J. Cell Bio., 107:1853-1862 (1988).
96	<del>  </del>	7	Streeter, Philip R. et al., "A tissue-specific endothelial cell molecule involved in
}		·	lymphocyte homing," <i>Nature</i> , Vol. 331, No. 7, 41-48 (1988).
97	<del>                                     </del>	7	Sutherland Pohert D. et al. "Differential Constitute of CD04 ====""
		اما	Sutherland, Robert D. et al., "Differential Sensitvity of CD34-positive Progenitor
98	<del>├</del> -	7	Cells," Exp. Hematol., 20:590-599 (1992).
	}	1	Suzuki, Yasuo, et al., "Sulfated Glycolipids are Ligands for a Lymphocyte
			Homing Receptor, L-Selectin (Lecam-1), Binding Epitope in Sulfated Sugar
		ļ	Chain," Biochemical and Biophysical Research Comm., Vol. 190, No. 2, 426-434
99	<del>  </del>	7	(1993).
			Tangemann K. et al., "Sulfation of a high endothelial venule-expressed ligand
	] [	4	for L-selectin: Effects on tethering and rolling of lymphocytes," J. Exp. Med.,
100	<del>                                     </del>	<del></del>	190:935-941 (1999).
109		1	Tarentino AL. et al., "Multiple endoglycosidase F activities expressed by
	j	•	Flavobacterium meningosepticum endoglycosidases F2 and F3," J. Biol. Chem.,
			268:9702-9708 (1993).

708 (1000) PHOUP GAMBEL 3/15/04

**RECEIVED** 

MAR 1 2 2003

	404		1	
	101	1	٧	Tedder, Thomas F. et al., "Expression of the Human Leukocyte Adhesion
	N	Ų.	2	Molecule, LAM1 Identity with the T_1 and Leu-8 Differentiation Antigens <sup>1</sup> ,"
		1	•	Journ. Of Immun., Vol. 144, 532-540 (1990).
	102	7	V	Terstappen, Leon WMM, et al., "Flow Cytometric Assessment of Human T-Cell
	Ī		14	Differentiation in Thymus and Bone Marrow," Blood, Vol. 79, No. 3, 666-677
	İ	1	49	(1992).
	102-	$+\!\!\!-$	1	<u></u>
,	100	PE	<b>L</b> a	Tracey JB. et al., "haracterization of the P-selectin ligand on human
	104	<del>  `</del>	12	hematopoietic progenitors," Exp. Hematol., 24:1494-1500 (1996).
(	104		TE TE	Trimble RB. et al., "Identification of distinct endoglycosidase (Endo) activities in
Pile	MAR 1	2003	(0)	Flavobacterium meningosepticum: Endo F <sub>1</sub> , Endo F <sub>2</sub> and Endo F <sub>3</sub> ," J. Biol.
(3)			£	Chem., 266:1646-1651 (1991).
'	d 95	1:12:72		True, David D. et al., "Requirement for Sialic Acid on the Endothelial Ligand of a
	10.00	1	4	Lymphocyte Homing Receptor," Journal of Cell Biol., Vol. 111, No. 6, 2757-2764
			<u> </u>	(1990).
	106		1	Tu L. et al., "L-selectin binds to P-selectin glycoprotein ligand-1 on leukocytes:
		}	i	Interactions between the lectin, epidermal growth factor and consensus repeat
			Í	domains of the selectins determine ligand binding specificity," J. Immunol.,
			1	157:3995-4004 (1996).
	107.		1	Vachino G. et al., "P-selectin glycoprotein ligand-1 is the major counter-receptor
		1	· '	for P-selectin on stimulated T cells and is widely distributed in non-functional
			•	
	108		Ve	form on many lymphocytic cells," <i>J. Biol. Chem.</i> , 270:21966-21974 (1995).
	109		<del></del>	Varki A., "Selectin ligands," Proc. Natl. Acad. Sci. USA. 91:7390-7397 (1994).
	109		<b>√</b> •	Verfaille CM., "Adhesion receptors as regulators of the hematopoietic process,"
				Blood, 92:2609-2612 (1998).
	110		1	Walcheck B. et al., "Neutrophil-neutrophil interactions under hydrodynamic shear
			C	stress involve L-selectin and PSGL-1," J. Clin. Invest., 98:1081-1087 (1996).
	111		1	Watanabe T., "Cell adhesion molecule expression on CD34+ cells in grafts
			3	and time to myeloid and platelet recovery after autologous stem cell
				transplantation," Exp. Hematol., 26:10-18 (1998).
	112		1	Watson, Susan R, et al., "A Homing Receptor-IgG Chimera as a Probe for
				Adhesive Ligands of Lymph Node High Endothelial Venules," Journal of Cell
	1			
	113		1	Biology, Vol. 110, 2221-2229 (1990).
			'	Wilson, Anne P. et al., "Evidence that Leukosialin, CD43, is Intensely Sulfated in
	114		•	the Murine T Lymphoma Line RDM-4 <sup>1</sup> .
	' '		4	Woodruff, Judith J. et al., "An In Vitro Model of Lymphocyte Homing," Journal of
				Immun., Vol. 119, No. 5, 1603-1610 (1977).
	115		√	Woodruff, Judith J. et al., "Specific Cell-Adhesion Mechanisms Determining
			v	Migration Pathways of Recirculating Lymphocytes," Am. Rev. Immunol., 5:201-
				222 (1987).
	116		7	Yamashita, Katsuko, et al., "Organ-Specific Difference in the Sugar Chains of γ-
				Glutamyltranspeptidase <sup>1</sup> ," Archives of Biochemistry and Biophysics, Vol. 224,
			] [	No. 2, 993-996 (1983).
-	117	<b>—</b> —	7	Yamashita, Katsuko, et al., "The Structures of the Carbohydrate Moieties of
İ		\		
		]	\$	
	\ \	9		Determinants and Bisecting N-Acetylglucosamine Residues <sup>1</sup> ," Archives of
	1100		$\sqcup \sqcup$	Biochemistry and Biophysics, Vol. 240, No. 2, 573-582 (1985).
	118		1	Yednock, Ted A. et al., "Phosphomannosyl-derivatized Beads Detect a Receptor
		$\overline{}$	¥.	Involved in Lymphocyte Homing," Journal of Cell Biol., Vol. 104, 713-723 (1987).

PHENNGIMBER 3/15/04

RECEIVED

MAR 1 2 2003

**TECH CENTER 1609/2000** 

Zannettino ACW. et al, "Primitive human hematopoietic progenitors adhere to P-selectin (CD62P)," Blood, 85:3466-3477 (1995).

Zhou Q. et al, "The selectin GMP-140 binds to sialylated, fucosylated lactosaminoglycans on both myeloid and nonmyeloid cells," J. Cell Biol., 115:557-564 (1991).

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to

PTO/SB/ 08 (2-92)

the applicant.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE



RECEIVED

MAR 1 2 2003

**TECH CENTER 1600/2900**